

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1955	harrington-s.in.	US-PGPUB; USPAT	OR	ON	2006/02/27 08:13
L2	142	harrington-steven-j.in.	US-PGPUB; USPAT	OR	ON	2006/02/27 08:13
S1	11501	(calibrat\$3 or adjust\$3) near4 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))	US-PGPUB; USPAT	OR	ON	2006/02/27 08:12
S2	1626	((calibrat\$3 or adjust\$3) near4 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/11 14:34
S3	1235	((((calibrat\$3 or adjust\$3) near4 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.) and memory	US-PGPUB; USPAT	OR	ON	2004/08/11 15:07
S4	822	((((calibrat\$3 or adjust\$3) near4 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.) and sensor	US-PGPUB; USPAT	OR	ON	2004/08/11 15:07
S5	18275	(calibrat\$3 or adjust\$3) near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))	US-PGPUB; USPAT	OR	ON	2004/08/11 14:33
S6	2177	((calibrat\$3 or adjust\$3) near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/11 15:06
S7	4407	calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))	US-PGPUB; USPAT	OR	ON	2004/08/11 14:41

EAST Search History

S8	790	(calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/11 15:58
S9	386	((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.) and sensor	US-PGPUB; USPAT	OR	ON	2004/08/11 15:58
S10	289	((((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and "358"/\$.ccls.) and sensor) and memory	US-PGPUB; USPAT	OR	ON	2004/08/11 15:07
S11	2341	(calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))	US-PGPUB; USPAT	OR	ON	2004/08/11 16:00
S12	759	((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))) and ((memory or retriev\$3 of stor\$3) with (target or reference or patch or chart))	US-PGPUB; USPAT	OR	ON	2004/08/11 16:01
S13	756	((((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))) and ((memory or retriev\$3 of stor\$3) with (target or reference or patch or chart))) and (compar\$4 or differen\$4 or subtract)	US-PGPUB; USPAT	OR	ON	2004/08/11 16:03

EAST Search History

S14	606	(((((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))) and ((memory or retriev\$3 of stor\$3) with (target or reference or patch or chart))) and (compar\$4 or differen\$4 or subtract)) and (display or monitor or lcd)	US-PGPUB; USPAT	OR	ON	2005/06/03 15:07
S15	128	(((((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))) and ((memory or retriev\$3 of stor\$3) with (target or reference or patch or chart))) and (compar\$4 or differen\$4 or subtract)) and (display or monitor or lcd)) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/11 16:15
S16	25032	(spectromet\$3 or spectrophotomet\$3 or colorimet\$3 or densitormet\$3) and calibrat\$3	US-PGPUB; USPAT	OR	ON	2004/08/13 09:49
S17	4056	((spectromet\$3 or spectrophotomet\$3 or colorimet\$3 or densitormet\$3) and calibrat\$3) and ((measure\$4) near5 (target or reference or patch))	US-PGPUB; USPAT	OR	ON	2004/08/13 09:51
S18	3721	((((spectromet\$3 or spectrophotomet\$3 or colorimet\$3 or densitormet\$3) and calibrat\$3) and ((measure\$4) near5 (target or reference or patch))) and compar\$4	US-PGPUB; USPAT	OR	ON	2004/08/17 08:34
S19	152	(((((spectromet\$3 or spectrophotomet\$3 or colorimet\$3 or densitormet\$3) and calibrat\$3) and ((measure\$4) near5 (target or reference or patch))) and compar\$4) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/16 16:11
S20	66721	calibrat\$3 and (scan\$4 or print\$3)	US-PGPUB; USPAT	OR	ON	2004/08/19 10:57
S21	1890	(calibrat\$3 and (scan\$4 or print\$3)) and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/08/16 16:14

EAST Search History

S22	839	((calibrat\$3 and (scan\$4 or print\$3)) and "358"/\$.ccls.) and measure	US-PGPUB; USPAT	OR	ON	2004/08/19 10:58
S23	707	((((calibrat\$3 and (scan\$4 or print\$3)) and "358"/\$.ccls.) and measure) not xerox.as.	US-PGPUB; USPAT	OR	ON	2004/08/16 16:15
S24	3076	scanner same calibrat\$3	US-PGPUB; USPAT	OR	ON	2004/08/17 11:14
S25	1852	scanner with calibrat\$3	US-PGPUB; USPAT	OR	ON	2004/08/17 08:35
S26	258	(scanner with calibrat\$3) same test	US-PGPUB; USPAT	OR	ON	2004/08/17 08:35
S27	38	(scanner with calibrat\$3) same (test near2 image)	US-PGPUB; USPAT	OR	ON	2004/08/17 08:35
S28	236	(scanner and printer) with calibrat\$3	US-PGPUB; USPAT	OR	ON	2004/08/19 10:58
S29	2174	"OR Gate" and calibration	USPAT	OR	OFF	2004/08/17 14:44
S30	39	("OR Gate" and calibration) and "358"/\$.ccls.	USPAT	OR	OFF	2004/08/17 14:55
S31	4	("OR Gate" and calibration) and compartor	USPAT	OR	OFF	2004/08/19 09:47
S32	4	((("OR Gate" and calibration) and compartor) and (measur\$3 or known)	USPAT	OR	OFF	2004/08/19 09:48
S33	11	((((calibrat\$3 and (scan\$4 or print\$3)) and "358"/\$.ccls.) and measure) and barcode	US-PGPUB; USPAT	OR	ON	2005/06/03 14:19
S76	1	"6654493".pn.	US-PGPUB; USPAT	OR	ON	2006/02/21 11:29
S77	13808	latch same (calibrat\$3 or adjust\$3)	US-PGPUB; USPAT	OR	ON	2005/06/03 14:27
S78	6196	latch with (calibrat\$3 or adjust\$3)	US-PGPUB; USPAT	OR	ON	2005/06/03 14:28
S79	7888	latch\$3 with (calibrat\$3 or adjust\$3)	US-PGPUB; USPAT	OR	ON	2005/06/03 14:28
S80	3	S79 with print\$3 with display\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 14:30
S81	59	S79 with print\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 14:30
S82	12823	(calibrat\$3 or adjust\$3) near4 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))	US-PGPUB; USPAT	OR	ON	2005/06/09 12:07

EAST Search History

S83	944	S82 and latch	US-PGPUB; USPAT	OR	ON	2005/06/03 14:34
S84	152	S83 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/03 14:52
S85	376	latch near7 calibrat\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 14:53
S86	56	S85 and print\$3	US-PGPUB; USPAT	OR	ON	2005/06/03 14:55
S87	716	((((calibrat\$3 near8 (printer or scanner or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))) and ((sensor\$1 or detect\$3 or indicat\$3) near8 (value\$1 or amount or number\$1))) and ((memory or retriev\$3 of stor\$3) with (target or reference or patch or chart))) and (compar\$4 or differen\$4 or subtract)) and (display or monitor or lcd)	US-PGPUB; USPAT	OR	ON	2005/06/03 15:07
S88	155	S87 and latch	US-PGPUB; USPAT	OR	ON	2005/06/03 15:07
S89	3	("5561449" "5742303" "6036298").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/03 15:11
S90	90903	(latch\$3) and (calibrat\$3 or adjust\$3)	US-PGPUB; USPAT	OR	ON	2005/06/09 12:07
S91	12894	(calibrat\$3 or adjust\$3) near4 (printer or scanner or fax or facsimile or cop\$3 or (multi adj function adj device) or mfd or (image adj render\$3 adj device))	US-PGPUB; USPAT	OR	ON	2005/06/09 12:08
S92	1084	S91 and latch\$3	US-PGPUB; USPAT	OR	ON	2005/06/09 12:09
S93	169	S92 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/06/09 16:47
S94	4	((("6008907") or ("6205244") or ("6671067") or ("6275600")).PN.	US-PGPUB; USPAT	OR	OFF	2005/06/09 16:47
S95	1	09/725,837	US-PGPUB; USPAT	OR	ON	2006/02/21 11:29
S96	42747	(measur\$3 or calculat\$3) near6 color	US-PGPUB; USPAT	OR	ON	2006/02/24 09:32
S97	4255	(compar\$3 or correlat\$3 or examin\$3 or match\$3) near (calibrat\$3)	US-PGPUB; USPAT	OR	ON	2006/02/24 09:54

EAST Search History

S98	15	S96 with S97	US-PGPUB; USPAT	OR	ON	2006/02/24 09:34
S99	13569	(compar\$3 or correlat\$3 or exaimin\$3 or match\$3) near (calibrat\$3 or adjust\$3)	US-PGPUB; USPAT	OR	ON	2006/02/24 09:54
S10 0	4255	S99 with S97	US-PGPUB; USPAT	OR	ON	2006/02/24 09:55
S10 1	19	S99 with S96	US-PGPUB; USPAT	OR	ON	2006/02/24 09:55
S10 2	4	S101 not S98	US-PGPUB; USPAT	OR	ON	2006/02/24 09:55